

It is a curious fact that on average, the grid will percolate after 59.2% of the cells are opened—no matter what size the grid is. (The larger the grid, the more precise the percentage will be.) Moreover, this percentage is a sort of "phase transition": if you take a large grid and randomly open *fewer* than 59.2% of its cells, then it probably will not percolate; open any *more* than 59.2%, and it probably will.

Shortest path length = 48Imagine an $n \times n$ square grid, where each cell is connected to its four reighbors to the north east, south, and west. Each cell can be either "open"

Imagine an $n \times n$ square grid, where each cell is connected to its four neighbors to the north, east, south, and west. Each cell can be either "open" or "blocked". Paths through the grid can only travel through open cells. We say the grid *percolates* if there is an open path from some cell in the top row all the way to some cell in the bottom row.

Now, carry out the following process: the cells all start out blocked; at each iteration, randomly pick a blocked cell and open it. Keep iterating until the grid percolates.

You should write a program (using a language of your choice) which will explore this percolation model, producing output like the above. That is, your program should carry out the above random cell-opening procedure until the grid percolates, and then display the resulting grid along with the shortest percolating path. Your program should be able to complete relatively quickly (within a few seconds) for a 500×500 grid.

1





